No: 1360-2/2021/NK/TVPM

Office of the Nirmithi Kendra,

B Block, 4th Floor, Civil Station, Kudappanakunnu, Thiruvananthapuram43. Pmnirmithi01@gmail.com,0471-2732929 26.06.2021

Ouotation Notice for Aluminium Partition Works-O1

District Nirmithi Kendra invites Competitive quotations from authorized Suppliers/Experienced Individual in the form attached herewith for Aluminium partition works in District Nirmithi Kendra's Project site at Upgradation of Subcentre at Kunnathumala.

SI	Item	Unit	Qty
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS : 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminnium snap beading for glazing /paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in- charge.(Glazing, paneling and dash fasteners to be paid for separately):For fixed portionPowder coated aluminium (minimum thickness of powder coating 50 micron)	Kg	25.88
2	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS : 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of Engineer - in- Charge.Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side	Sqm	11.12
3	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured), Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick:Float glass panes 4 mm thick with necessary areas etching works		24.67
4	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.		2
5	Providing surgical curtain cloth	Sqm	15
5	Grab bar for disabled friendly toilet	No	1

2)Bid Price

- a) The contract shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date.
- b) The rate should be all inclusive of taxes, levies, transports etc.
- c) Usual deduction of taxes will be made from the gross amount of bill.
- d) The rate quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- e) The price should be quoted in Indian rupees only.

3) Each bidder shall submit only one quotation.

4) Validity of quotation

Quotation shall remain valid for a period not less than 45 days after the dead line date specified for submission

5) Evaluation of quotation

The purchaser will evaluate and compare the quotations determined to be substantially responsive i.e., which

- a) Are properly signed
- b) Confirm to the terms and conditions and specification.
- 6) Award of Contract

a) The purchaser will award the contract to the bidder whose quotations has been determined to be substantially responsive and who has offered the lowest evaluated quotation price

- b) Notwithstandingabove, the purchaser reserves the right toaccept or reject anyquotations and to cancel the bidding process and reject all quotations at anytime prior to the award of the contract
- c) The bidder whose bid is accepted will be notified of the award of the contractby the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

7) The amount will be released after verification of the material in physical, quality and receipt of invoice in this office according to the availability of funds. Individual or Authorized dealers/agents are only eligible.

8) You are requested to provide your offer latest by 12 hours on **02.08.2021** and the Quotation will be opened at **02.08.2021**

We look forward to receiving your quotations and thank for your interest in this work.



Project Manager

Format of Ouotation

St Format of Ouotation								
D	ltem	Unit	Qty	Rate	Amount			
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS : 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM tubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminnium snap beading for glazing /paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge (Glazing, paneling and dash fasteners to be paid for separately):For fixed portionPowder coated aluminium (minimum thickness of powder coating 50 micron)	Kg	25.88					
2	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of Engineer - in- Charge.Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side	Sqm	11.12					
3	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured), Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick:Float glass panes 4 mm thick with necessary areas etching works	Sqm	24.67					
4	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	No	2					
5	Providing surgical curtain cloth	Sqm	15					
6	Grab bar for disabled friendly toilet	No	1					

Signature of Supplier