




No: 1488/19/NK/TVPM


Office of the Nirmithi Kendra,  
B Block, 4th Floor, Civil Station,  
Kudappanakunnu, Thiruvananthapuram 43.  
Pmnirmithi01@gmail.com, 0471-2732929  
29.12.2020

**Quotation Notice for Supply and Fixing Gate and Rolling Shutter**

District Nirmithi Kendra invites Competitive quotations from authorized Firms/Experienced contractors in the form attached herewith for Supply and fixing of Gate at career Development Centre Palode.

Sl.No.	PARTICULARS	QTY	UNIT
1	<p>Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates (sliding) and similar works. Hot finished welded type tubes with outer body 2.5"x1.5" 16gauge tube section and inner section 2"x1.5" 16 gauge</p>  <p>Gate Size: 4x1.5m</p>  <p>Only 2.80m sliding</p>	6	sqm



2	<p>Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters.80x1.25 mm M.S. laths with 0.20 mm thick top cover, bottom &amp; side channel of 14 gauge, leaf 18 gauge and rolling sheet of 0.20 mm thick</p>  <p>Rolling shutter size : 2.7x3 m</p>	8.1	Sqm
---	---	-----	-----

2) Bid Price

- a) The contract shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date.
- b) The rate should be all inclusive of taxes, levies, transports, Unloading etc.
- c) Usual deduction of taxes will be made from the gross amount of bill.
- d) The rate quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.



- e) The price should be quoted in Indian rupees only.
- 3) Each bidder shall submit only one quotation.

4) Validity of quotation

Quotation shall remain valid for a period not less than 45 days after the dead line date specified for submission

5) Evaluation of quotation

The purchaser will evaluate and compare the quotations determined to be substantially responsive ie which

- a) Are properly signed
- b) Confirm to the terms and conditions and specification.

6) Award of Contract

- a) The purchaser will award the contract to the bidder whose quotations has been determined to be substantially responsive and who has offered the lowest evaluated quotation price
  - b) Notwithstanding above, the purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of the contract
  - c) The bidder whose bid is accepted will be notified of the award of the contract by the purchaser prior to expiration of the quotation validity period.
- The terms of the accepted offer shall be incorporated in the purchase order.

7) The amount will be released after verification of the material in physical, quality and receipt of invoice in this office according to the availability of funds. Individual or authorized dealers/agents are only eligible.

8) You are requested to provide your offer latest by 12 hours on **07.01.2021** and the quotation will be opened at **07.01.2021**.

We look forward to receiving your quotations and thank for your interest in this work.



  
Project Manager



**Format of Quotation**

Sl No	Description	Qty	Unit	Rate	AMOUNT	
					Amount in figures	Amount in words
1	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In frames, guard bar, ladder, railings, brackets, gates (sliding) and similar works. Hot finished welded type tubes with outer body 2.5"x1.5" 16gauge tube section and inner section 2"x1.5" 16 gauge	6	m2			
2	Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters.80x1.25 mm M.S. laths with 0.20 mm thick top cover, bottom & side channel of 14 gauge, leaf 18 gauge andf rolling sheet of 0.20 mm thick	8.1	m2			

Gross Total Cost: - Rs.....

(In words) We agree to supply the above goods in accordance with the technical Specification for a total price of Rs.....(amount in figure).....(amount in words) with in the period specified in the invitation for quotation.



**Signature of Contractor**