No: 1760/E1/2021/NK/TVPM

Office of the Nirmithi Kendra,

B Block, 4th Floor, Civil Station, Kudappanakunnu, Thiruvananthapuram43. Pmnirmithi01@gmail.com,0471-2732929 21/05/2021

Ouotation notice for Ready mix concrete(M-25)

District Nirmithi Kendra invites Competitive quotations from authorized Suppliers/Individual in the form attached herewith for the Ready mix concrete (M-25) in District nirmithikendra's Project site at construction of Oxygen Plant Foundation at

Sl.No.	PARTICULARS	QTY	UNIT
	Providing and position ready mixed M-25 grade concrete for reinforced cement concrete work using cement content as per approved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced as per mix design of specified grade for reinforced cement concrete work including pumping of R.M.C from transit mixer to site of laying, excluding the cost centering, shuttering, finishing and reinforcement including cost of admixtures in recommended proportions as per IS:9103 to accelerate/retard setting of concrete, improve workability without impairing strength and durability as per direction of the engineer-in-cahrge. Note-Cement content considered in this item is 330kg/cum. All work up to Plinth level	28 36	МЗ

2)Bid Price

- a) The contract shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date.
- b) The rate should be all inclusive of taxes, levies, transports etc.



49

- c) Usual deduction of taxes will be made from the gross amount of bill.
- d) The rate quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- e) The price should be quoted in Indian rupees only.
- 3) Each bidder shall submit only one quotation.
- 4) Validity of quotation
- .Quotation shall remain valid for a period not less than 45 days after the dead line date specified for submission

5) Evaluation of quotation

The purchaser will evaluate and compare the quotations determined to be substantially responsive ie which

- a) Are properly signed
- b) Confirm to the terms and conditions and specification.

6) Award of Contract

- a) The purchaser will award the contract to the bidder whose quotations has been determined to be substantially responsive and who has offered the lowest evaluated quotation price
- b) Notwith standing above, the purchaser reserves the right to accept or reject anyquotations and to cancel the bidding process and reject all quotations at anytime prior to the award of the contract
- c) The bidder whose bid is accepted will be notified of the award of the contractby the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.
- 7) The amount will be released after verification of the material in physical ,quality and receipt of invoice in this office according to the availability of funds. Individual or authorized dealers/agents are only eligible.
- 8) You are requested to provide your offer latest by 12 hours on 25.05.2021 and the quotation will be opend at 25.05.2021.

We look forward to receiving your quotations and thank for your interest in this work.

KCDAPPANAK (NASC PO. THIRUVANANTHAPURAM-43)

THIRUVANANTHAPURAM-43

THIRUVANANTHAPURAM-43

THIRUVANANTHAPURAM-43

Project Manager

Quotation

SI No	Description				and the second process of the second process	TOUNT
		Quantity	Unit	Rate	Amount in figures	Amount in words
1	Supplying and laying of 60mm thick interlock by providing soling and baby chips etcupto a height of 30mm by provision for the drainage of rain water. The rate shall be inclusive of all transportation, loading & unloading etc complete. Providing and position ready mixed M-25 grade concrete for reinforced cement concrete work using cement content as per approved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced as per mix design of specified grade for reinforced cement concrete work including pumping of R.M.C from transit mixer to site of laying, excluding the cost centering, shuttering, finishing and reinforcement including cost of admixtures in recommended proportions as per IS:9103 to accelerate/retard setting of concrete, improve workability without impairing strength and durability as per direction of the engineer-incahrge. Note-Cement content considered in this item is 330kg/cum. All work up to Plinth level	28 346	М3			48
	Total					

Gros	s Total Cos	t: - Rs(In word						ve goods in accordance with
the	technical	Specification	for	a	total (amou	price int in w	of ords)	Rs(amount in with in the period specified
		for quotation.						



Signature of Supplier